

# DESOPON<sup>®</sup> LB-N

## Major component

- Lanolin, modified oil and surfactant

## Property

- Reduce the water-absorption for soft leather.
- Give full, soft, silky, and waxy handle for leather after fatliquoring.
- Good light resistance, heat resistance for leather after fatliquoring.
- Good acid resistance, salt resistance and electrolyte resistance.
- Good absorbibility, low effluents' COD value after fatliquoring.

## Specification

Appearance(25°C):	Paste
Color:	Yellowish to brown
pH(10% aqueous solution, 25°C):	8.0±1.0
Active content %:	48.0±2.0
Charge:	Anionic
Short chain chlorinated paraffin:	Comply with EU REACH laws and regulations
APEO:	Comply with EU REACH laws and regulations

## Application

- Recommended dosage as main fatliquor (in terms of shaved wet-blue):  
**DESOPON LB-N** 1.0~4.0%

# DESOPON<sup>®</sup> LB-N

## Safety

- This is not a hazardous chemical.
- Observe all the precautions required for handling chemicals.
- Read attentively and observe all the recommendations in our **Material Safety Data Sheet**.

## Transportation and Storage

- The product has a shelf life of at least one year if it is stored in its tightly sealed original packaging at temperatures between 5°C and 35°C.
- This product should be stored in a cool and dry place, lidded and keep upright. Avoid direct exposure to the sun or frost.
- Appearance may change during storage, if lamination occur, stir well before use, properties will not be affected.
- Re-seal the package immediately after using, use up as soon as possible once the package is opened.
- Read attentively and observe all the recommendations in our **Material Safety Data Sheet**.