DESOAGEN® TLB

Major component

• Organic acid mixture.

Property

• Excellent buffering and penetration ensure safer deliming.
• Uniform deliming facilitates following penetration and action of bating enzyme.
• Good decalcification ability.

Specification

Appearance(25°C):	Fine particles
Color:	Beige
Active matter content,%:	⩾95 .0

Application

• Dosage and time depend on thickness of pelt and amount of lime used.
• Recommended process (in terms of limed pelt):

Water	50%	25~28 °C
DESOAGEN TLB	2.0~4.0%	40~90 min

Safety

• This product is acidic.Wear personal protective equipment during handling. Avoid exposure for a long time.
• Observe all the precautions required for handling chemicals.
• Read attentively and observe all the recommendations in **Safety Data Sheet.**

The information contained in this manual is not a unilateral commitment by our company or a contractual provision. Users are responsible for confirming product suitability under actual conditions.

DESOAGEN® TLB

Transportation and Storage

- The product has a shelf life of one year if it is stored in its tightly sealedoriginal packaging at temperatures between 0°C and 40°C.
- The product should be stored in a cool and dry place，with no throwing，avoid direct exposure to the sun or rain or humidity.
- This product tends to form lumps due to moisture absorption. If it is not expired, properties will not be affected.
- Re-seal the package immediately after using, use up as soon as possible once the package is opened.
- Read attentively and observe all the recommendations in **Safety Data Sheet.**

The information contained in this manual is not a unilateral commitment by our company or a contractual provision. Users are responsible for confirming product suitability under actual conditions.